

# International Journal of Current Research in Medical Sciences

ISSN: 2454-5716

(A Peer Reviewed, Indexed and Open Access Journal)

www.ijcrims.com



### **Review Article**

Volume 9, Issue 10 -2023

**DOI:** http://dx.doi.org/10.22192/ijcrms.2023.09.10.003

# A review article on Sushrutokta Bastivyapad.

## **Dr. Suresh Govind Dahiphale**

M.D. Panchakarma, Assistant Professor, Department of Panchakarma. R.A. Podar Medical (Ayu) College, Worli, Mumbai

# Dr. Rutuja Sanjay Nagawade

M.D. Panchakarma, Assistant Professor, Department of Panchakarma. G.S. Gune Ayurved College, Ahmednagar

#### **Abstract**

Panchakarma presents a unique approach of Ayurveda with specially designed five procedures of internal purification of the body through the nearest possible route. Among these, Basti Chikitsa regarded as the prime treatment modality. Acharya Charak described Vyapada of Niruha and Sneha basti which are 12 and 6 in number respectively. Acharya Sushruta told 76 Basi Vyapad. In this article, details of Basti Vyapad according to Acharya Sushrut are described.

**Keywords:** Sushrut Samhita, Basti Vyapda- Causes, Clinical features, Treatment.

### Introduction

The word 'Vyapada' originated from 'The root Vyapad' meaning to fall away, to fall into misfortune. So, the word 'Vyapada' indicates the meanings like destruction, ruin, death or sankatam (Su. Chi.34/1), Anyatha Apatti (Su.Su. 15/2).

Simply 'Vyapada' are the symptoms which are produced other than Samyaka lakshana, causing harm to the patient and increasing the symptoms of the diseases.

Basti vyapad according to Sushrutsamhita-

Sushruta has mentioned 76 types of Basti vyapad. Out of these 44 vyapad are due to 'Vaidyanimitta' (due to fault of physician).15

types are due to Atura(patient).8 types are due to 'Vaidyatura' (bothy physician and patient). There are again 9 Vyapad(Ayoga, etc.), which are due to 'Vaidyanimitta'. The total list of vyapad is as follows:

### Basti pranidhana dosha- It is of six types-

- 1. Vichalita
- 2. Vivartita
- 3. Prashvavapidita
- 4. Atyutkshipta
- 5. Avasanna
- 6. Tiryakkshipta

### Basti netra dosha- It is of 11 types-

- 1. Atisthula
- 2. Karkasha
- 3. Avanata
- 4. Anubhinna
- 5. Sannikrishta karnik
- 6. Viprakrishta karnik
- 7. Sukshma chhidra
- 8. Atichhidra
- 9. Atidirgha
- 10. Atihrasva
- 11 Asrim

### Basti dosha- It is of 5 types-

- 1. Bahalata
- 2. Alpata
- 3. Sacchidrata
- 4. Prastirnata
- 5. Durbaddha

## Basti pidana dosha- It is of 4 types-

- 1. Atipidilata
- 2. Shithila piditata
- 3. Bhuyo bhuyo avapidana
- 4. Kalatikrama

#### Dravyadosha- It is of 11 types-

- 1. Amata
- 2. Hinata
- 3. Atimatrata
- 4. Atishitata
- 5. Atyushnata
- 6. Atitikshnata
- 7. Atimriduta
- 8. Atisnigdhata
- 9. Atirukshata
- 10. Atisandrata
- 11. Atidravata

### Shayyadosha- It is of 7 types-

- 1. Avakshirsha
- 2. Uchchhirsha
- 3. Nyubia
- 4. Uttana
- 5. Samkuchitadeha

- 6. Dakshinaparshvashayina
- 7. Upavishta

# Atura nimitta 15 Vyapad- It is due nonobeying of rituals to be done after therapy.

- 1. Pittaja upadrava
- 2. Ayasa
- 3. Shoka
- 4. Maithun
- 5. Divanidra
- 6. Uchchaibhashana
- 7. Yanabhramana
- 8. Chirasana
- 9. Atichamkramana
- 10. Shitasambhoga
- 11. Vatasevana
- 12. Atapa sevana
- 13. Viruddha bhojana
- 14. Asatmya bhojana
- 15. Pramanadhikara bhojana

# Vaidyatura Nimitta 8 Vyapad (Snehabasti Vyapad)

- 1. Ashanabhibhuta
- 2. Malavyamishra
- 3. Duranupravisto
- 4. Asvinnasya
- 5. Anushna
- 6. Alpabhuktavato
- 7. Alpa
- 8. Tridosha janya

### Vaidyatura Nimitta 9 Vyapad

- 1. Ayoga
- 2. Atiyoga
- 3. Adhmana
- 4. Parikartika
- 5. Parisrava
- 6. Pravahika
- 7. Hridayopasarana
- 8. Angapragraha
- 9. Jiyadana

Table showing clinical features and treatment of these Vyapada- Basti pranidhana Dosha and Basti netra Dosha

Int. J. Curr. Res. Med. Sci. (2023). 9(10): 8-14

Name of vyapad	Clinical features	Treatment	
Vichalita and Vivartita	Injury in guda due to netra	Treatment should be as Sadya kshata.	
Atyutkshipta and Avasanna	Pain in anus	<ol> <li>Pittanashak kriya</li> <li>Sneha seka</li> </ol>	
Tiryaka pranidhana and Parshva avapidana	Basti cannot enter into the rectum properly	Proper insertion of basti	
Atisthula and karkasha	Injury to guda causing pain	Treatment should be as Sadya kshata.	
Netra with asanna karnika or anu bhinna netra	The basti material leaks out	Proper Netra is to be taken	
Netra with prakrishta karnika	Bleeding occurs due to guda marma pidana	<ol> <li>Pitta nashaka kriya</li> <li>Pichchha basti</li> </ol>	
Netra which is hrasva(short length)or having tanusrota(lack of wideness in channels)	Basti cannot reach its destination and returns back causing complications related to basti pratighata	Appropriate Netra should be taken.	
Dirgha and maha srota netra	Features like atipidan of basti	Appropriate Netra should be taken.	

## Basti dosha-

Name of vyapad	Clinical features	Treatment
Prastirna, bahal,dubaddha	Basti cannot be administered	Appropriate putaka should be
	properly	taken
Small putaka	Lesser effect or ayoga of basti	
Durbaddha, anubhinna	Features like bhinna netra	

## Basti Pidana Dosha-

Name of vyapad	Clinical features	Treatment	
Atiprapidana	Basti Dravya reaches to	1. Gala pidana,	
	amashaya and then expelled	avadhunana	
	out through mouth and nose	2. Tikshna shirah and	
		kaya virechana	
		3. Sheetal seka	
Shanai prapidana	Basti Dravya becomes unable	Proper pressure should be	
	to reach into pakvashaya	given	
Bhuyah bhuyah avapidana	1. Adhmana	Basti is indicated according	
	2. Severe pain	to Dosha	
Kalatikramana	Irritation in anus and	Basti according to vyadhi	
	exaggeration of disease		

# Int. J. Curr. Res. Med. Sci. (2023). 9(10): 8-14

# Dravya Dosha-

Name of vyapad	Clinical features	Treatment	
Apakva sneha	1. Guda upadeha	1. Samshodhan basti	
	2. Shoph	2. Virechan	
Hinamatra	Less therapeutical effect	Pratyanika chikitsa	
Atimatra	1. Anaha	Pratyanika chikitsa	
	2. Klama		
	3. Atisara		
Ushna and tikshna	1. Murchchha	Pratyanika chikitsa	
	2. Daha		
	3. Atisara		
	4. Pitta prakopa		
Mridu and sheet	1. Vata vibandha	Pratyanika chikitsa	
	2. Adhman		
Sandra basti	Guda-basti upadeha, Tanu basti		
	pravahika		
Tanu basti	Alpa gunaha	Sandra basti	
Ati snigdha	Ati jadya	Ruksha basti	
Ati ruksha	1. Stambha Snigdha basti		
	2. Adhmana	_	

# Shayyadi dosha

Name of vyapad	Clinical features	Treatment
Avakshira	Vyapada like atipidana	Treatment like vyapad of atipidana
Uchchhirsha	Mehana pain	<ol> <li>Swedana</li> <li>Uttarbasti</li> </ol>
Nyubja	Basti becomes unable to reach pakvashaya. Pain in Hridaya,payu and koshtha	Basti should not be administered. If Vayu gets aggrevated, treatment should be done accordingly
Uttana	Marga (Channels) gets occluded and basti cannot enter into body.	Give basti again
Sankuchita(Curved posture or both knee flexed posture)	Basti returns immediately	Give basti again
Upavishta(Squat position)	Basti returns immediately and hence becomes unsuccessful to nourish pakvashaya	Give basti again
Dakshin parshva shayina(Right lateral position)	Basti cannot spread to pakvashaya properly	Give basti again

# Int. J. Curr. Res. Med. Sci. (2023). 9(10): 8-14

## Ayogadi Vaidya Nimitta Vyapad (Complications due to physician)

Name of vyapada Ayoga	cause  Due to application of sheet Dravya or alpa aushadha or hina basti	Clinical features 1. Vishtambha 2. Adhmana 3. Shula	Treatment Tikshna basti and virechana
Adhmana	If basti is administered in case of-  J Sashesha anna  J Atibhukta  J Bahudosha; atyasita or if sheetala and asnehalavana basti is given  J In high quantity  J In a person with bahupurisha	Hrid-kati-parshva- prishtha shula	Tikshna basti and anuvasana
Parikartika	Pitta gets aggrevated with Vayu if ati Tikshna, lavana, ushna and ruksha basti is administered.	Severe cutting painin nabhi, basti and guda	<ol> <li>Pichchha basti</li> <li>Sneha basti</li> <li>processed with</li> <li>Madhura dravya</li> </ol>
Parisrava	Ati amla, ati lavana and ati Tikshna basti, if administered, it causes Parisrava	<ol> <li>Daurbalya</li> <li>Angasada</li> <li>Gudadaha</li> <li>Discharge of Pitta</li> </ol>	<ol> <li>Pichchha basti</li> <li>Basti processed with Kshira and ghrita</li> </ol>
Pravahika	Tikshna niruha and anuvasana	Expulsion of Kapha and Rakta with burning sensation, pain and tenesmus	<ol> <li>Pichchha basti</li> <li>Intake of milk</li> <li>Anuvasana with taila and sarpi processed with Madhura gana</li> </ol>
Hridayopasarana	Ati Tikshna niruha and anuvasana if administered in aggravated Vata condition.	<ol> <li>Anga pidana</li> <li>Mada</li> <li>Murchchha</li> <li>Anga gaurava</li> </ol>	Shodhana basti to eradicate all three dosha.
Angapragraha	Ruksha, mridu and alpa aushadha basti if administered to a person who is ruksha, bahu Vata yukta and duhshayita	<ol> <li>Agasada</li> <li>Stambha</li> <li>Jrimbha</li> <li>Udveshtana</li> <li>Vepana</li> <li>Parshvbheda</li> </ol>	<ol> <li>Swedana</li> <li>Abhyanga</li> <li>Basti</li> </ol>
Atiyoga	If ati ushna, tkshna and bahu basti is administered to a person having alpa dosha and who is ati svedita atiyoga of basti occurs	Symptoms like ati yoga of virechana	Treatment should be similar to that of ati yoga of virechana.  1. Sheetal and sukhavaha Pichchha basti  2. Sheet upachara
Jivadana		Blood passes with stool	Rakta yukta pichchha basti in case of Jiva shonita

# Int. J. Curr. Res. Med. Sci. (2023). 9(10): 8-14

# Sneha Basti Vyapada (Due to Vaidya and Atura)

Name of vyapada	Cause	Clinical features	Treatment
1. Vatabhibhuta sneha	If Sneha basti is administered in lesser quantity when Vayu is aggravated in the Koshtha, the basti does not return;rather it gets occluded by Vayu.	<ol> <li>Mukha kashayata</li> <li>Jrimbha</li> <li>Vepathu</li> <li>Vishama jwar</li> <li>Vata vedana</li> </ol>	Dosh shamak basti
2. Pittabhibhuta sneha	Same conditions but Pitta is aggravated in koshtha	<ol> <li>Mukha- katutva</li> <li>Daha-trishna-jwar</li> <li>Sweda</li> <li>Netra-mutra-anga- pitatva</li> </ol>	Dosh shamak basti
3. Shleshmabhibhuta sneha	Same conditionsbut Kapha is aggravated in koshtha	<ol> <li>Madurasyata</li> <li>Gaurava</li> <li>Chhardi</li> <li>Sheet jwar</li> <li>Aruchi</li> <li>Krichchha shwas</li> </ol>	Dosh shamak basti
Annabhibhuta sneha	If Sneha is administered to a atibhukta	<ol> <li>Guru amashaya</li> <li>Shula</li> <li>Vayu vibandha</li> <li>Hridpida</li> <li>Mukha vairasya</li> <li>Murchchha</li> <li>Bhram</li> <li>Aruchi</li> </ol>	<ol> <li>Apatarpana</li> <li>Dipana</li> </ol>
Malavrita sneha	Application of Anuvasana in non- purified body	<ol> <li>Pakvashaya gaurava</li> <li>Angasadana</li> <li>Adhmana</li> <li>Shwas</li> <li>Shula</li> </ol>	Tikshna niruha and Tikshna anuvasana
Duranusrita sneha	Sneha basti if administered in purified person (i.e.,after virechana)	<ol> <li>Sneha comes out through mouth</li> <li>Upalepa in all indriya</li> <li>Avasada</li> <li>Smell of sneha in mouth</li> <li>Kasa, shwas</li> <li>Aruchi</li> </ol>	Same as     Atipidita basti     vyapad

Int. J. Curr. Res. Med. Sci. (2023). 9(10): 8-14

Asvinnasya Sneha	If anuvasana (Sheet	1.	Manda Pravahana	Asthapana and
basti vyapada	and Mridu) is	2.	Vibandha	anuvasana basti
	administered to	3.	Gaurava	
	non-purified person	4.	Adhmana	
	in little amount	5.	Pakvashaya shula	
Alpa bhuktavate	If little amount of	1.	Klama	Shodhana
alpashanasya Sneha	mridu anuvasana is	2.	Utklesha	asthapana and
basti vyapad	administered after a	3.	Arati	Sneha basti
	small diet	4.	Sneha does not	
		return	back	

## **Conclusion**

Maharshi Sushruta told 76 Basti Vyapad, which are as follows- Pranidhan dosha, Netra dosha, Basti dosha, Pidana dosha, Basti Dravya dosha, Shayyadosha, Sneha vyapad, Atur nimitta.

Access this Article in Online		
	Website: www.ijcrims.com	
	Subject: Ayurveda	
Quick Response Code		

## How to cite this article:

Suresh Govind Dahiphale, Rutuja Sanjay Nagawade. (2023). A review article on Sushrutokta Bastivyapad. Int. J. Curr. Res. Med. Sci. 9(10): 8-14.

DOI: http://dx.doi.org/10.22192/ijcrms.2023.09.10.003