Int. J. Curr. Res. Med. Sci. (2026). 12(10): 48-58

International Journal of Current Research in Medical Sciences

ISSN: 3107-3743 (Print), ISSN: 2454-5716 (Online)
(A Peer Reviewed, Indexed and Open Access Journal)
www.ijcrims.com



Review Article

Volume 12, Issue 10 -2026

DOI: http://dx.doi.org/10.22192/ijcrms.2026.12.10.005

Skyborne Lifelines: Drone-Enabled Blood Delivery Systems for Resilient Transfusion Services in Resource-Constrained Settings

***Emmanuel Ifeanyi Obeagu[1] and Mary Ezinne Nwazu[2]**

[1]Division of Haematology, Department of Biomedical and Laboratory Science, Africa University, Mutare, Zimbabwe.

[2]Department ofMedical Laboratory Science, Madonna University, Elele Campus, Rivers State, Nigeria.

*Corresponding author: Emmanuel Ifeanyi Obeagu, Department of Biomedical and Laboratory Science, Africa University, Zimbabwe, *emmanuelobeagu@yahoo.com*,

ORCID: 0000-0002-4538-0161

Abstract

Timely access to safe blood is fundamental to the management of obstetric hemorrhage, severe anemia, trauma, surgical emergencies, and hemoglobinopathies. In many resource-constrained settings, blood transfusion services are undermined by weak supply chains, limited cold-chain infrastructure, poor road networks, and geographic barriers, resulting in preventable delays and excess mortality. Emerging unmanned aerial vehicle (UAV) technologies offer a novel solution to last-mile delivery challenges by enabling rapid, on-demand transport of blood and blood products from centralized blood banks to peripheral health facilities.Pilot programs and scaled implementations of drone-enabled blood delivery have demonstrated substantial reductions in delivery times for emergency transfusions, improved availability of blood products at remote facilities, and decreased wastage through centralized inventory management. Integration of UAV logistics with digital ordering platforms has strengthened supply chain responsiveness and supported emergency preparedness. However, evidence also highlights persistent challenges, including cold-chain assurance under variable climatic conditions, regulatory constraints governing airspace use, operational reliability in adverse weather, workforce training needs, and uncertainties around long-term cost-effectiveness and sustainability. The benefits of drone delivery appear greatest in settings characterized by difficult terrain, poor road access, and high burden of transfusion-dependent conditions.Drone-enabled blood delivery systems represent a promising, system-level innovation for strengthening transfusion services and health system resilience in resource-constrained environments. Their successful scale-up will depend on regulatory harmonization, integration into national blood transfusion services, sustainable financing models, and rigorous evaluation of clinical and economic impact. When embedded within broader strategies for supply chain strengthening and health system development, UAV-mediated logistics can contribute meaningfully to reducing preventable morbidity and mortality associated with delayed access to blood transfusion.

Keywords: drone delivery; blood transfusion services; health system resilience; last-mile logistics; resource-constrained settings

Introduction

Safe and timely access to blood and blood products is a cornerstone of effective health care delivery, underpinning the management of obstetric hemorrhage, severe anemia, trauma, surgical emergencies, hematologic disorders, and complications of infectious diseases. Globally, deficiencies in blood availability and transfusion readiness contribute substantially to preventable morbidity and mortality, with the burden falling disproportionately on low- and middle-income countries (LMICs). In many resource-constrained settings, blood transfusion services are constrained by fragmented supply chains, limited laboratory and cold-chain infrastructure, shortages of trained personnel, and weak referral and transport networks. These systemic barriers translate into delayed transfusions, rationing of blood products, and avoidable deaths, particularly among women with postpartum hemorrhage, children with severe malaria-associated anemia, and patients requiring urgent surgical intervention [1-2].Geographic and infrastructural constraints exacerbate these challenges. Large rural catchment areas, poor road conditions, seasonal flooding, and long distances between blood banks and peripheral facilities impede rapid transport of blood products. Conventional ground-based logistics are often unpredictable, vulnerable to weather and security disruptions, and costly to maintain. As a result, peripheral health facilities may rely on limited on-site stockpiles that are insufficient for emergency surges and prone to wastage due to expiration. These constraints undermine the reliability of transfusion services and erode confidence in referral systems, contributing to delayed care-seeking and adverse outcomes [3-4].

In recent years, unmanned aerial vehicles (UAVs), commonly referred to as drones, have emerged as a potentially transformative approach to last-mile medical logistics. By bypassing terrestrial transport barriers, UAVs can deliver blood and blood products rapidly from centralized hubs to remote or hard-to-reach facilities. Advances in drone engineering, autonomous navigation, and temperature-controlled payload systems have enabled routine, on-demand delivery under operational conditions that were previously prohibitive. Coupled with digital ordering platforms and real-time tracking, drone-enabled logistics offer a reconfiguration of blood supply chains from static, facility-based stockpiling toward responsive, demand-driven distribution models. This paradigm has particular relevance for time-critical transfusion needs, where minutes can be decisive for survival [5-6].Beyond operational efficiency, drone-enabled blood delivery intersects with broader agendas of health system resilience, equity, and innovation. Resilient health systems are characterized by their capacity to anticipate, absorb, and adapt to shocks, including epidemics, natural disasters, and surges in clinical demand. UAV-mediated logistics can provide surge capacity and redundancy in settings where road networks are disrupted or overwhelmed, thereby enhancing continuity of essential services. Moreover, by extending the reach of centralized blood banks to underserved rural and peri-urban populations, drone delivery has the potential to mitigate longstanding inequities in access to life-saving transfusions. However, the promise of this technology must be evaluated against practical constraints, including regulatory barriers, cost and sustainability considerations, cold-chain integrity, workforce readiness, and community acceptance [7-8].

While early implementations and pilot programs have demonstrated feasibility and operational gains, the evidence base remains heterogeneous, and the generalizability of reported benefits across diverse health system contexts is not yet fully established. There is a need for critical synthesis of existing experiences to distinguish proof-of-concept from scalable, sustainable models of integration into national blood transfusion services. Furthermore, ethical and governance considerations—including airspace regulation, data protection, and equitable deployment—require systematic attention to ensure that technological innovation translates into inclusive and durable health system improvements [9-10].This narrative review examines the technological foundations, clinical impact, operational models, regulatory and ethical

dimensions, and economic considerations of drone-enabled blood delivery systems in resource-constrained settings. By synthesizing emerging evidence and implementation experiences, the review aims to provide a balanced appraisal of the opportunities and limitations of UAV-mediated logistics and to outline a pragmatic agenda for research, policy, and practice to guide their responsible integration into resilient transfusion service frameworks.

Technological Foundations of Drone-Enabled Blood Delivery

Drone-enabled blood delivery systems are underpinned by a convergence of aeronautical engineering, cold-chain logistics, digital health platforms, and health supply chain management. At the core of these systems are unmanned aerial vehicles (UAVs) designed to operate reliably over medium-to-long distances while carrying temperature-sensitive biological payloads. Fixed-wing and hybrid vertical take-off and landing (VTOL) platforms are most commonly employed, as they offer superior range, speed, and energy efficiency compared with multi-rotor drones, making them suitable for routine medical logistics across dispersed rural geographies. Advances in battery technology, lightweight composite materials, and autonomous navigation have extended flight endurance and improved operational reliability under variable environmental conditions, including heat, wind, and precipitation that characterize many resource-constrained settings [11-12].Maintaining the integrity of the blood cold chain is a central technological requirement. Blood products must be transported within tightly regulated temperature ranges to preserve safety and efficacy. Modern UAV payload modules are therefore engineered with insulated, phase-change material–based containers or active temperature control systems that stabilize internal conditions during flight. Embedded temperature sensors enable continuous monitoring, with data transmitted in real time to logistics hubs and receiving facilities. This digital cold-chain surveillance not only supports quality assurance and regulatory compliance but also provides traceability across the end-to-end supply chain, reducing the risk of compromised products entering clinical use [13-14].

Equally critical is the digital infrastructure that orchestrates drone operations. Cloud-based ordering platforms, integrated with blood bank inventory management systems, enable health facilities to request specific blood products on demand. These systems support automated dispatch workflows, flight scheduling, and geospatial routing, optimizing delivery routes based on distance, weather conditions, and priority level. Real-time tracking dashboards provide situational awareness to clinicians and logistics coordinators, facilitating coordination of clinical workflows with anticipated delivery times. In settings with intermittent connectivity, hybrid solutions incorporating offline data capture and delayed synchronization are increasingly used to ensure continuity of operations [15].Autonomous navigation and airspace management technologies constitute another foundational layer. UAVs rely on global navigation satellite systems, onboard sensors, and collision-avoidance algorithms to execute beyond-visual-line-of-sight flights safely. Redundancy in navigation and communication systems is essential to mitigate the risk of signal loss, hardware failure, or environmental interference. As regulatory frameworks evolve, integration with national airspace management systems and geofencing technologies is becoming increasingly important to ensure safe coexistence with manned aviation and other UAV operations. These safety-critical technologies are central to building regulatory confidence and enabling scale-up beyond pilot corridors [16-17].

From a systems engineering perspective, drone-enabled blood delivery is not merely a transport modality but a reconfiguration of supply chain architecture. Centralized distribution hubs, supported by predictive analytics for demand forecasting, allow blood transfusion services to shift from static stockpiling at peripheral facilities to responsive, just-in-time distribution models. This approach has the potential to reduce wastage from expired blood products while improving availability for emergency cases. Integration with electronic health records and referral systems

further enables alignment of logistics with clinical demand, supporting more rational allocation of scarce blood resources [18].Notwithstanding these advances, technological dependencies introduce vulnerabilities that must be addressed for sustainable implementation. UAV systems require reliable power supply, routine maintenance, skilled technical personnel, and robust cybersecurity measures to protect digital platforms. Environmental factors, including extreme weather and dust, can degrade hardware performance, while connectivity constraints may limit real-time data exchange in remote areas. Consequently, the technological foundations of drone-enabled blood delivery must be contextualized within local infrastructure realities, with design choices emphasizing robustness, maintainability, and interoperability with existing health logistics systems [19].

Clinical and Health System Impact of Drone-Enabled Blood Delivery

Drone-enabled blood delivery systems have begun to demonstrate measurable benefits for both clinical outcomes and health system performance, particularly in resource-constrained environments where conventional ground transport is slow, unreliable, or disrupted. Clinically, the most immediate impact is on the **timeliness of life-saving transfusions**. Rapid aerial delivery of blood products from centralized banks to peripheral health facilities can significantly reduce the interval between diagnosis and treatment, which is critical for conditions such as obstetric hemorrhage, severe pediatric anemia, trauma, and hemoglobinopathies like sickle cell disease. Early evidence from pilot implementations, particularly in Rwanda, Ghana, and parts of Kenya, indicates that drone delivery can shorten delivery times from several hours or even days to under 30–60 minutes in some emergency scenarios, directly contributing to improved survival and reduced morbidity [10].Beyond immediate clinical benefits, UAV-mediated logistics influence broader **health system resilience**. By enabling on-demand delivery and supporting just-in-time inventory management, drone systems reduce dependency on static stockpiles at peripheral facilities, mitigating both shortages and wastage of blood products. This flexibility enhances the health system's capacity to respond to sudden surges in demand, such as during epidemics, natural disasters, or mass casualty events, effectively creating a surge-capable, adaptive supply chain. In this way, drones are not merely a transport technology but an enabler of **system-level responsiveness**, strengthening the overall reliability and predictability of transfusion services [20].

Drone-enabled delivery also has an **equity dimension**, as it improves access for populations in remote, geographically isolated, or conflict-affected regions that have historically faced delays or complete lack of access to blood products. By bridging physical barriers, UAV logistics can reduce rural-urban disparities in transfusion services, ensuring that time-critical care is not limited to urban centers or regions with well-developed road infrastructure. Early program evaluations suggest that integrating drones with digital ordering systems and centralized blood banks can improve referral efficiency, patient throughput, and coordination between clinical teams and logistics operators [21].However, the health system impact is influenced by several context-dependent factors. Successful integration depends on functional laboratory networks, adequate cold-chain infrastructure, trained personnel to coordinate dispatch and reception, and alignment with national blood transfusion policies. In settings where these supporting structures are weak, the clinical benefits of drone delivery may be attenuated. Furthermore, operational reliability—affected by environmental conditions, technical malfunctions, and airspace restrictions—remains a critical consideration for sustained impact.

Operational Models and Implementation Pathways of Drone-Enabled Blood Delivery

The deployment of drone-enabled blood delivery systems relies on carefully designed operational models that integrate technological capacity with health system infrastructure, regulatory compliance, and clinical workflows. Across resource-constrained settings, several models

have been tested and refined, ranging from centralized hub-and-spoke networks to hybrid approaches that combine UAVs with conventional ground transport. At the core of these models is a **centralized distribution hub**, typically located within a regional blood bank or tertiary hospital, which functions as the operational and logistical nerve center. Blood products are stored under controlled conditions, inventory is managed in real time, and drones are dispatched in response to facility-specific requests, often routed through digital ordering platforms that integrate with national health information systems (Table 1) [22].

Table 1: Operational Models and Implementation Pathways of Drone-Enabled Blood Delivery

Operational Model	Description	Key Features / Components	Advantages	Challenges / Considerations	Example Implementation
Centralized Hub-and-Spoke	Blood products are stored at a central hub and dispatched to peripheral health facilities ("spokes") on demand.	Centralized inventory, UAV dispatch center, digital ordering platform, cold-chain payload containers, real-time tracking.	Efficient resource allocation; reduces wastage; rapid response for emergencies; supports just-in-time delivery.	Requires functional central hub, trained staff, robust UAV fleet, regulatory approvals.	Rwanda: Blood drones delivering to remote health centers in under 60 minutes.
Hybrid Aerial-Ground Model	Combines UAVs for difficult or long-distance segments with ground transport for last-mile delivery.	UAVs cover remote or inaccessible terrain; conventional vehicles complete final delivery; integrated digital workflow.	Extends coverage; cost-effective in areas with limited UAV range; leverages existing road infrastructure.	Complexity in coordination; cold-chain maintenance across multiple transport modes; timing synchronization.	Ghana and Kenya pilot corridors combining drones with road transport for regional hospitals.
Demand-Driven On-Demand Dispatch	UAVs are launched in real time based on facility requests rather than routine schedules.	Digital request platform, automated flight scheduling, priority-based routing, live delivery monitoring.	Minimizes overstocking; improves responsiveness to urgent clinical needs; enhances inventory efficiency.	Requires reliable connectivity, trained dispatch personnel, contingency planning for weather/technical failures.	Rwanda and Malawi emergency blood supply pilot programs.
Integrated National Blood Network	Drone delivery fully integrated into national blood transfusion services and supply chain planning.	Policy-aligned UAV program, centralized hubs, regional coordination, standardized protocols, integration with EHR and referral systems.	Promotes system-wide efficiency; supports equitable coverage; scalable; regulatory oversight included.	High initial investment; complex governance; requires sustainable financing and workforce capacity.	Proposed scale-up strategies in sub-Saharan Africa, under public–private partnership models.

Phased Pilot to Scale Model	Gradual deployment starting with test corridors and expanding coverage as operational capacity matures.	Pilot corridor selection, evaluation of clinical outcomes, iterative protocol refinement, progressive scaling.	Allows learning and optimization; mitigates risk; builds stakeholder confidence; supports evidence-based scale-up.	Limited initial coverage; may delay full system-wide impact; requires ongoing monitoring and evaluation.	Rwanda's Zipline program: pilot testing followed by nationwide blood delivery service expansion.

Hub-and-Spoke Model: This is the most widely implemented operational framework. Peripheral health facilities act as the "spokes" and submit requests to the central hub, which coordinates the dispatch of UAVs based on product type, priority, and distance. The model allows for efficient allocation of limited resources and rapid response to urgent clinical needs, as demonstrated in Rwanda, where drones have been used to transport whole blood and platelets to remote health centers in under an hour. By consolidating stock at a central hub, this model reduces wastage of perishable blood products and supports just-in-time delivery, improving both supply chain efficiency and clinical responsiveness [23].

Hybrid Models: In settings with partially developed road networks or limited UAV range, hybrid models combine aerial transport with last-mile ground delivery. Drones are used to cover the most geographically challenging segments of the supply chain, such as river crossings or mountainous terrain, while conventional vehicles complete the final delivery to the facility. This approach maximizes coverage and leverages existing infrastructure, reducing operational costs while maintaining the benefits of rapid aerial transport [24].

Digital Integration and Workflow Management: Effective implementation requires robust digital systems for ordering, flight management, and real-time tracking. Health facilities submit requests through secure cloud-based platforms that communicate with the drone operator and the central hub. Automated scheduling algorithms optimize flight paths, considering distance, payload capacity, weather, and airspace restrictions. Real-time monitoring ensures adherence to cold-chain requirements and provides data for quality assurance and regulatory reporting. Integration with electronic health records and referral systems aligns logistics with patient care workflows, allowing clinicians to anticipate delivery times and coordinate transfusions efficiently [25].

Workforce and Training Considerations: Operational success depends on a trained multidisciplinary team, including UAV pilots, maintenance technicians, logistics coordinators, and clinical staff familiar with ordering protocols. Training programs often combine technical skills with operational and clinical workflows, ensuring seamless coordination between dispatch centers and health facilities. Continuous education and drills are essential to maintain system reliability, particularly in emergency contexts [26].

Regulatory and Safety Pathways: UAV deployment requires adherence to civil aviation regulations, which vary by country. Safety protocols include flight planning, geofencing to prevent airspace violations, redundancy in navigation systems, and emergency response procedures for drone malfunctions. Engagement with national aviation authorities and health ministries is critical for securing approvals and ensuring compliance with airspace and patient safety regulations [27].

Phased Implementation and Scalability: Most programs adopt a phased approach, beginning with pilot corridors that test operational feasibility, cold-chain integrity, and clinical workflows. Lessons learned are used to expand coverage gradually, refine protocols, and build capacity for maintenance and regulatory compliance. Scalability also depends on financial sustainability, often achieved through public–private partnerships, integration with national

blood transfusion programs, and alignment with health system priorities [28].

Regulatory, Ethical, and Equity Considerations in Drone-Enabled Blood Delivery

The integration of drone-enabled blood delivery into health systems introduces a complex array of **regulatory, ethical, and equity considerations** that must be addressed to ensure safe, responsible, and sustainable operations. While UAVs offer unprecedented speed and access for last-mile delivery, their deployment intersects with airspace management, patient safety, data governance, and social equity, each of which has implications for program design and scale-up.UAV operations are subject to civil aviation laws, which typically govern flight permissions, beyond-visual-line-of-sight (BVLOS) operations, altitude restrictions, and safety certifications. In many low- and middle-income countries, regulatory frameworks for medical drones are evolving and often vary widely between regions, creating uncertainty for implementers. Obtaining flight approvals, airspace clearances, and operational licenses can be time-consuming, and non-compliance carries legal and safety risks. To mitigate these challenges, successful drone programs engage early with aviation authorities, establish standard operating procedures for flight safety, and incorporate geofencing, autonomous collision avoidance, and real-time tracking to adhere to regulatory requirements. Harmonization of UAV regulations across regions or countries can further facilitate scalability, cross-border collaboration, and integration into national health systems [29-30].

Ethical issues in drone-based blood delivery encompass patient safety, privacy, and the responsible allocation of resources. Ensuring **blood product integrity** during flight—including maintaining the cold chain and minimizing handling errors—is essential to avoid clinical harm. Data generated from drone operations, including geolocation of facilities, patient identifiers linked to blood orders, and flight telemetry, raises concerns about confidentiality and cybersecurity. Transparent policies on data use, storage, and access are necessary to protect patient and facility information. Moreover, ethical deployment requires careful assessment of **community acceptance and perceptions**, as UAVs may be unfamiliar or intimidating to populations in rural or remote areas. Engaging communities through awareness campaigns and participatory planning can enhance trust and adoption [31-32].One of the most compelling promises of drone delivery is its potential to **reduce geographic disparities** in access to life-saving transfusions. Remote and underserved populations often face delayed or unavailable blood services due to road inaccessibility, insecurity, or logistical bottlenecks. UAVs can extend service reach to these areas, thereby enhancing equity in care. However, inequities may also arise if drone programs are disproportionately implemented in well-resourced urban regions or regions with strong donor support, leaving rural areas or marginalized populations underserved. Strategic planning, guided by health needs mapping and prioritization of high-burden regions, is essential to ensure that drone delivery contributes to **inclusive, equitable health outcomes** rather than exacerbating existing disparities [33].

Regulatory, ethical, and equity dimensions intersect in the policy domain. National blood transfusion authorities, ministries of health, and civil aviation agencies must coordinate to develop operational standards, quality assurance frameworks, and emergency response protocols. Policies should explicitly address equity in service allocation, establish mechanisms for oversight and accountability, and incorporate evidence-based risk assessments for flight safety and blood product integrity. In addition, collaboration with professional societies, NGOs, and international partners can help standardize protocols, share lessons learned, and support ethical and equitable scaling of UAV logistics [34].

Economic Viability and Sustainability of Drone-Enabled Blood Delivery

The economic viability and long-term sustainability of drone-enabled blood delivery systems are critical considerations for their

integration into resource-constrained health systems. While UAV-mediated logistics offer clear operational and clinical advantages, their cost-effectiveness must be evaluated relative to existing transport modalities and within the context of broader health system constraints. Initial capital costs for drones, payload containers, charging infrastructure, and digital platforms can be substantial, and ongoing expenses for maintenance, battery replacement, personnel training, and regulatory compliance add further financial commitments. These costs can be particularly challenging for low- and middle-income countries, where health budgets are already constrained and competing priorities demand careful allocation of resources [35].Despite these upfront investments, emerging evidence suggests that drone-enabled delivery may offer economic benefits in specific contexts. By reducing transit times, UAVs can prevent treatment delays and associated complications, potentially lowering hospital stays, morbidity, and mortality. Improved inventory management, enabled by real-time tracking and just-in-time delivery, reduces wastage from expired blood products and decreases the need for decentralized stockpiling. Additionally, drones can circumvent road infrastructure limitations, which often incur high costs for emergency transport, vehicle maintenance, fuel, and personnel time, particularly in remote or difficult-to-access regions. In scenarios where conventional delivery is unreliable, UAVs may be the most cost-effective option for ensuring timely access to life-saving blood products [36].

Financial sustainability is closely linked to operational scale and program design. Centralized hub-and-spoke models and coordinated regional networks can optimize drone utilization, maximizing payload efficiency and flight frequency while spreading costs over a larger population served. Public–private partnerships, donor support, and integration into national blood transfusion programs are key mechanisms to mobilize funding, share risks, and build local technical capacity. Moreover, cost-sharing arrangements, such as cross-district or regional logistics pooling, may further enhance economic efficiency [37].Long-term sustainability also depends on workforce capacity, technical support, and regulatory compliance. Skilled personnel are required for drone operation, maintenance, and coordination with clinical teams. Ensuring continuity of operations in the face of environmental, infrastructural, or financial challenges requires robust contingency planning and ongoing investment in training and technical support. Additionally, scaling up UAV programs must account for evolving regulatory frameworks, cybersecurity safeguards, and integration with existing health system logistics to avoid parallel, siloed operations that are costly and difficult to maintain [38]. Economic evaluation should not be limited to direct costs but also consider **broader system-level benefits,** including improved equity in access to blood products, reduced preventable mortality, and strengthened health system resilience. Cost-effectiveness analyses that incorporate these societal and health outcomes can provide a more comprehensive understanding of the value proposition of drone delivery systems, guiding policymakers in prioritizing investment (Figure 1) [39].

Conclusion

Drone-enabled blood delivery systems represent a transformative innovation with the potential to address longstanding barriers in transfusion services, particularly in resource-constrained settings. By enabling rapid, reliable, and on-demand transport of blood products, UAV-mediated logistics can significantly improve clinical outcomes for conditions such as obstetric hemorrhage, severe anemia, trauma, and hemoglobinopathies. Beyond individual patient benefits, drone delivery enhances health system resilience by providing surge capacity, reducing stock-outs, minimizing wastage, and strengthening supply chain responsiveness. Successful implementation, however, depends on careful integration into existing health systems, robust regulatory compliance, maintenance of cold-chain integrity, workforce training, and digital infrastructure to coordinate operations. Ethical and equity considerations must guide deployment to ensure that UAV technology reaches underserved and remote populations rather than reinforcing

existing disparities. Economic viability and sustainability require strategic planning, including optimization of operational models, financial partnerships, and evidence-based evaluation of costs and outcomes. As evidence from pilot programs and early implementations accumulates, it is clear that drones are not merely a technological novelty but a practical tool for enhancing access to life-saving transfusion services. Scaling these innovations responsibly, with attention to regulatory frameworks, governance, sustainability, and health equity, offers an opportunity to transform blood supply chains and reduce preventable morbidity and mortality. Drone-enabled blood delivery, when embedded within a broader strategy of health system strengthening, has the potential to serve as a **skyborne lifeline** for populations most vulnerable to delays in transfusion care.

References

1. Schantz-Dunn J, M N. The use of blood in obstetrics and gynecology in the developing world. Rev Obstet Gynecol. 2011 Summer;4(2):86-91.
2. Obeagu EI. Blood transfusion practices in Africa: advances, barriers, and ways of overcoming the barriers - a narrative review. Ann Med Surg (Lond). 2025;87(11):7311-7321. doi: 10.1097/MS9.0000000000003898.
3. Touloumidis D, Madas M, Zeimpekis V, Ayfantopoulou G. Weather-Related Disruptions in Transportation and Logistics: A Systematic Literature Review and a Policy Implementation Roadmap. Logistics. 2025; 9(1):32. https://doi.org/10.3390/logistics9010032
4. Evans MV, Andréambeloson T, Randriamihaja M, Ihantamalala F, Cordier L, Cowley G, Finnegan K, Hanitriniaina F, Miller AC, Ralantomalala LM, Randriamahasoa A, Razafinjato B, Razanahanitriniaina E, Rakotonanahary RJL, Andriamiandra IJ, Bonds MH, Garchitorena A. Geographic barriers to care persist at the community healthcare level: Evidence from rural Madagascar. PLOS Glob Public Health. 2022;2(12): e0001028. doi: 10.1371/journal.pgph.0001028.
5. Sharma S, Sharma H. Drone a technological leap in health care delivery in distant and remote inaccessible areas: A narrative review. Saudi J Anaesth. 2024;18(1):95-99. doi: 10.4103/sja.sja_506_23.
6. Sharma S, Sharma H. Drone a technological leap in health care delivery in distant and remote inaccessible areas: A narrative review. Saudi J Anaesth. 2024;18(1):95-99. doi: 10.4103/sja.sja_506_23.
7. Gauba P, Nangia A, Bahadur S, Pahuja S, Dang S, Pathak R, Agarwal K, Sharma S, Ambalkar D, Jha M, Singh R, Virdi P, Gupta R, Singh S, Pandey R, Adhlakha B, Agarwal P, Nigam K, Aggarwal S. Adopting drone technology for blood delivery: a feasibility study to evaluate its efficiency and sustainability. Arch Public Health. 2025;83(1):163. doi: 10.1186/s13690-025-01650-z.
8. Stierlin N, Risch M, Risch L. Current Advancements in Drone Technology for Medical Sample Transportation. Logistics. 2024; 8(4):104. https://doi.org/10.3390/logistics8040104
9. Pearson N, Naylor PJ, Ashe MC, Fernandez M, Yoong SL, Wolfenden L. Guidance for conducting feasibility and pilot studies for implementation trials. Pilot Feasibility Stud. 2020;6(1):167. doi: 10.1186/s40814-020-00634-w.
10. Powell BJ, Fernandez ME, Williams NJ, Aarons GA, Beidas RS, Lewis CC, McHugh SM, Weiner BJ. Enhancing the Impact of Implementation Strategies in Healthcare: A Research Agenda. Front Public Health. 2019; 7:3. doi: 10.3389/fpubh.2019.00003.
11. Gilmour RG, Hoff M. Drone-Assisted Organ Transport: A Scoping Review of Clinical, Regulatory, and System Readiness. Clin Transplant. 2025;39(12): e70398. doi: 10.1111/ctr.70398.
12. Eichleay M, Evens E, Stankevitz K, Parker C. Using the Unmanned Aerial Vehicle Delivery Decision Tool to Consider Transporting Medical Supplies via Drone. Glob Health SciPract. 2019;7(4):500-506. doi: 10.9745/GHSP-D-19-00119.
13. Homier V, Brouard D, Nolan M, Roy MA, Pelletier P, McDonald M, de Champlain F,

Khalil E, Grou-Boileau F, Fleet R. Drone versus ground delivery of simulated blood products to an urban trauma center: The Montreal Medi-Drone pilot study. J Trauma Acute Care Surg. 2021;90(3):515-521. doi: 10.1097/TA.0000000000002961.

14. Huang L, Piontek U. Improving Performance of Cold-Chain Insulated Container with Phase Change Material: An Experimental Investigation. Applied Sciences. 2017; 7(12):1288. https://doi.org/10.3390/app7121288
15. Semenov S, Krupska-Klimczak M, Wasiuta O, Krzaczek B, Mieczkowski P, Głowacki L, Yu J, He J, Chernykh O. Intelligent Assurance of Resilient UAV Navigation Under Visual Data Deficiency for Sustainable Development of Smart Regions. Sustainability. 2025; 17(13):6030. https://doi.org/10.3390/su17136030
16. Osmani K, Schulz D. Comprehensive Investigation of Unmanned Aerial Vehicles (UAVs): An In-Depth Analysis of Avionics Systems. Sensors (Basel). 2024;24(10):3064. doi: 10.3390/s24103064.
17. Amirsahami A, Barzinpour F, Pishvaee MS. A hierarchical model for strategic and operational planning in blood transportation with drones. PLoS One. 2023;18(9): e0291352. doi: 10.1371/journal.pone.0291352.
18. Cavus M. Advancing Power Systems with Renewable Energy and Intelligent Technologies: A Comprehensive Review on Grid Transformation and Integration. Electronics. 2025; 14(6):1159. https://doi.org/10.3390/electronics14061159
19. Eichleay M, Evens E, Stankevitz K, Parker C. Using the Unmanned Aerial Vehicle Delivery Decision Tool to Consider Transporting Medical Supplies via Drone. Glob Health SciPract. 2019;7(4):500-506. doi: 10.9745/GHSP-D-19-00119.
20. Olatunji G, Isarinade TD, Emmanuel K, Olatunji D, Aderinto N. Exploring the transformative role of drone technology in advancing healthcare delivery in Africa; a perspective. Ann Med Surg (Lond). 2023;85(10):5279-5284. doi: 10.1097/MS9.0000000000001221.
21. Jairoun AA, Al-Hemyari SS, Shahwan M, Al-Ghananeem AM, El-Dahiyat F, Al-Salmi S, Babar ZU. The evolution of medication delivery via drones: revolutionizing healthcare logistics. J Pharm Policy Pract. 2025;18(1):2519137. doi: 10.1080/20523211.2025.2519137.
22. Farmakis P, Chassiakos A, Karatzas S. A Multi-Objective Tri-Level Algorithm for Hub-and-Spoke Network in Short Sea Shipping Transportation. Algorithms. 2023; 16(8):379. https://doi.org/10.3390/a16080379
23. Quddus MA, Rahman MF, Bappy MM. Hybrid Drone and Truck Delivery Optimization in Remote Areas Using Geospatial Analytics. Sustainability. 2025; 17(23):10775. https://doi.org/10.3390/su172310775
24. Nguyen D-D, Dang Q-D. Development of an Intelligent Drone Management System for Integration into Smart City Transportation Networks. Drones. 2024; 8(9):512. https://doi.org/10.3390/drones8090512
25. Nwaogu JM, Yang Y, Chan APC, Wang X. Enhancing Drone Operator Competency within the Construction Industry: Assessing Training Needs and Roadmap for Skill Development. Buildings. 2024; 14(4):1153. https://doi.org/10.3390/buildings14041153
26. Almozel A, Adil A, Feron E. Safety-Aware Pre-Flight Trajectory Planning for Urban UAVs with Contingency Plans for Mechanical and GPS Failure Scenarios. Drones. 2025; 9(10):708. https://doi.org/10.3390/drones9100708
27. Banas CA, Erskine AR, Sun S, Retchin SM. Phased implementation of electronic health records through an office of clinical transformation. J Am Med Inform Assoc. 2011;18(5):721-725. doi: 10.1136/amiajnl-2011-000165.
28. Tran T-H, Nguyen D-D. Management and Regulation of Drone Operation in Urban Environment: A Case Study. Social Sciences. 2022; 11(10):474. https://doi.org/10.3390/socsci11100474
29. Ariante G, Del Core G. Unmanned Aircraft Systems (UASs): Current State, Emerging Technologies, and Future Trends. Drones.

2025; 9(1):59. https://doi.org/10.3390/drones9010059

30. Nisingizwe, M. P., Ndishimye, P., Swaibu, K., Nshimiyimana, L., Karame, P., Dushimiyimana, V., Musabyimana, J. P., Musanabaganwa, C., Nsanzimana, S., & Law, M. R. (2022). Effect of unmanned aerial vehicle (drone) delivery on blood product delivery time and wastage in Rwanda: a retrospective, cross-sectional study and time series analysis. *The Lancet. Global health*, *10*(4), e564–e569. https://doi.org/10.1016/S2214-109X(22)00048-1
31. Stierlin N, Loertscher F, Renz H, Risch L, Risch M. Preanalytic Integrity of Blood Samples in Uncrewed Aerial Vehicle (UAV) Medical Transport: A Comparative Study. Drones. 2024; 8(9):517. https://doi.org/10.3390/drones8090517
32. Peltier GC, Meledeo MA. The impact of delivery by a fixed-wing, sling-launched unmanned aerial vehicle on the hematologic function of whole blood. J Trauma Acute Care Surg. 2023;95(2S Suppl 1): S152-S156. doi: 10.1097/TA.0000000000004061.
33. Mammen JJ, Asirvatham ES, Sarman CJ, Ranjan V, Charles B. A review of legal, regulatory, and policy aspects of blood transfusion services in India: Issues, challenges, and opportunities. Asian J Transfus Sci. 2021;15(2):204-211. doi: 10.4103/ajts.AJTS_65_20.
34. Kumar A, Prybutok V, Sangana VKR. Environmental Implications of Drone-Based Delivery Systems: A Structured Literature Review. Clean Technologies. 2025; 7(1):24. https://doi.org/10.3390/cleantechnol7010024
35. Haidari LA, Brown ST, Ferguson M, Bancroft E, Spiker M, Wilcox A, Ambikapathi R, Sampath V, Connor DL, Lee BY. The economic and operational value of using drones to transport vaccines. Vaccine. 2016;34(34):4062-4067. doi: 10.1016/j.vaccine.2016.06.022.
36. Wu K, Lu S, Chen H, Feng M, Lu Z. An Energy-Efficient Logistic Drone Routing Method Considering Dynamic Drone Speed and Payload. Sustainability. 2024; 16(12):4995. https://doi.org/10.3390/su16124995
37. Roman E-A, Stere A-S, Roșca E, Radu A-V, Codroiu D, Anamaria I. State of the Art of Digital Twins in Improving Supply Chain Resilience. Logistics. 2025; 9(1):22. https://doi.org/10.3390/logistics9010022
38. Sittimart M, Rattanavipapong W, Mirelman AJ, Hung TM, Dabak S, Downey LE, Jit M, Teerawattananon Y, Turner HC. An overview of the perspectives used in health economic evaluations. Cost Eff ResourAlloc. 2024;22(1):41. doi: 10.1186/s12962-024-00552-1.

Access this Article in Online	
Quick Response Code	Website: www.ijcrims.com
	Subject: Haematology
DOI: 10.22192/ijcrms.2026.12.10.005	

How to cite this article:
Emmanuel Ifeanyi Obeagu and Mary Ezinne Nwazu. (2026). Skyborne Lifelines: Drone-Enabled Blood Delivery Systems for Resilient Transfusion Services in Resource-Constrained Settings. Int. J. Curr. Res. Med. Sci. 12(10): 48-58.
DOI: http://dx.doi.org/10.22192/ijcrms.2026.12.10.005